
MARYLAND HISTORICAL TRUST DETERMINATION OF ELIGIBILITY FORM

NR Eligible: yes X


no____

| Property Name: Frank Bentz Dam Inventory Number: F-6-127 |
|---|
| Address: Foxville Road City: Thurmont Zip Code: |
| County: Frederick USGS Topographic Map: Catoctin Furnace |
| Owner: State of Maryland Is the property being evaluated a district? yes |
| Tax Parcel Number: 285 Tax Map Number: 19 Tax Account ID Number: 1115350873 |
| Project: Dam Rehabilitation Agency: DNR |
| Site visit by MHT staff: no _X_yes Name: Tania Georgiou Tully Date: 04/08/2003 |
| Is the property is located within a historic district? yesX_no |
| If the property is within a district District Inventory Number: |
| NR-listed districtyes Eligible districtyes Name of District: |
| Preparer's Recommendation: Contributing resourceyes no Non-contributing but eligible in another context yes |
| If the property is not within a district (or the property is a district) Preparer's Recommendation: Eligible X yesno |
| Criteria: X A B X C D Considerations: A B C D E F G None |
| Documentation on the property/district is presented in: Compliance File |
| Description of Property and Eligibility Determination: (Use continuation sheet if necessary and attach map and photo) The dam was determined eligible in a June 18, 1996 letter signed by J. Rodney Little, Maryland SHPO. An excerpt of the letter follows. |
| [This] rubblestone gravity damwas constructed in 1910 to supply electrical power to the town of Thurmont. The Bentz Dam represents a significant development in the history of Thurmont Thurmont began as a crossroads village in the late eighteenth century serving the surrounding agricultural community. By the late nineteenth century, Thurmont experienced industrial expansion beginning with the opening of the western Maryland Railroad in 1982. With a population of 100 by 1910, Thurmont had established various industries such as a cannery, weaving factory, and cigar manufacturing. Local businessmen established the Thurmont Light and Power Company in 1908; they coordinated with the town and built the dam by 1910. The proposed dimensions were 180 feet long, 11 feet high with a 5-6 acre water impoundment. The construction of the dam and the provision of electricity to the town is another important component of the town's industrial growth. Therefore,the Bentz Dam is eligible for the Maryland Register of Historic Properties [and National Register of Historic Places]. |
| Prepared by: Tania Tully Date Prepared: 04/04/2003 |
| MARYLAND HISTORICAL TRUST REVIEW |
| Eligibility recommended X Eligibility not recommended |
| Criteria: X A B X C D Considerations: A B C D E F G None |
| MHT Comments Determined eligible in 1996. |
| Tania Georgiou Tully (April 04, 2003 |
| |
| Reviewer, Office of Preservation Services Peter Kurtze Q W 4 8 03 |

F-6-127 Frank Bentz Dam Thurmont, Frederick County Catoctin Furnace Quad








F-6-127
Frank Bentz Dam
Frederick County, MD
Tania Georgiou Tully
April 08, 2003
Digital Photo
Along the top of the dam, abutment visible in foreground, facing NW
1/10


F-6-127
Frank Bentz Dam
Frederick County, MD
Tania Georgiou Tully
April 08, 2003
Digital Photo
Along the top of the dam, upper spillway visible in foreground, facing NW
2/9



F-6-127
Frank Bentz Dam
Frederick County, MD
Tania Georgiou Tully
April 08, 2003
Digital Photo
Along the top of the dam, facing northwest
3/9


F-6-127
Frank Bentz Dam
Frederick County, MD
Tania Georgiou Tully
April 08, 2003
Digital Photo
Along the top of the dam, damage to upper spillway and abutment
4/9

F-6-127



F-6-127
Frank Bentz Dam
Frederick County, MD
Tania Georgiou Tully
April 08, 2003
Digital Photo
Along the top of the dam, facing northwest
5/9





F-6-127
Frank Bentz Dam
Frederick County, MD
Tania Georgiou Tully
April 08, 2003
Digital Photo
View of abutment from down stream, facing west
6/9

F-6-127
Frank Bentz Dam
Frederick County, MD
Tania Georgiou Tully
April 08, 2003
Digital Photo
View of lower spillway from down stream, facing west
7/9

F-6-127





F-6-127
Frank Bentz Dam
Frederick County, MD
Tania Georgiou Tully
April 08, 2003
Digital Photo
View of drainpipe below abutment, upper spillway also visible on right.
8/9

F-6-127
Frank Bentz Dam
Frederick County, MD
Tania Georgiou Tully
April 08, 2003
Digital Photo
View of drainpipe below abutment
9/9